

BID PACKAGE #2: ADDENDUM NUMBER 6

MILWAUKEE COUNTY CENTRAL FLEET MAINTENANCE BUILDING MODIFICATION: OFFICE  
ADDITION AND RENOVATION: BID PACKAGE #2

Site #365, Bldg. #5600

10320 W. Watertown Plank Rd.

Wauwatosa, Wisconsin 53226

Project Number: O230-13636

Date of Addendum: March 5, 2014

This Addendum to the Contract Documents is issued to modify, explain or correct the original documents, dated February 12, 2014, and is hereby made part of the Contract Documents.

**MODIFICATIONS & CLARIFICATIONS TO TECHNICAL SPECIFICATIONS**

1. Specification Section: 075423 "Thermoplastic Polyolefin (TPO) Roofing":
  - a. **CLARIFICATION:** Specification Section 075423-6, 2.5, Substrate Boards:
    - i. Substrate Board shall be provided when required for roof system warranty.
  - b. **CLARIFICATION:** Specification Section 075423-8, 3.5, Insulation Installation:
    - i. Mechanical fastening of boards is acceptable provided installation method is approved for roof system warranty.
  - c. **CLARIFICATION:** Specification Section 075423-10, 3.10, B, Flood Testing:
    - i. Spray Testing in lieu of Flood Testing on roof sections where water depth would exceed max depth limit shall be acceptable.
2. Specification Section: 077100 "Roofing Specialties":
  - a. **REVISE:** Specification Section 077100-4, 2.2, 3, from "Extruded – Aluminum" to "Aluminum".
  - b. **REVISE:** Specification Section 077100-5, 2.3, C, 1, from "0.125 inch" to "0.063 inch"
  - c. **REVISE:** Specification Section 077100-5, 2.3, D, 1, from "0.032 inch" to "0.063 inch"
  - d. **REVISE:** Specification Section 077100-5, 2.3, D, 1, from "0.032 inch" to "0.063 inch"
3. Specification Section: 142400 "Hydraulic Elevators":
  - a. **CLARIFICATION:** Specification Section 142400-4, 2.3, B, 10, c, "Inside Height" is approximate and shall be per manufacturer's standard ceiling height for an 8'-0"

elevator.

- b. **REVISE** Specification Section 142400-5, 2.3, B, 11. Hoistway Entrances, a. Width, to: "as indicated on drawings"
- c. **REVISE** Specification Section 142400-5, 2.3, B, 11. Hoistway Entrances, b. Height, to: "as indicated on drawings"

End of Addendum No. 6